




DIN 912

ISO 4762

12.9

Standard withdrawn



BN 8

Hex socket head cap screws

partially threaded

Steel 12.9

black

- ~UNI 5931
- ~CSN 021143

M18; M22; M27: not included in ISO 4762

Article#	d ₁	d ₂	b	k	s	t min.	L
1006770	M3	5,5	18	3	2,5	1,3	25
1006789							30
1006797							35
1751573							40
1751778							45
1751794							50
3055492							60
3646022							70
1007025	M4	7	20	4	3	2	30
1007033							35
1007041							40
1007068							45
1007076							50
1007084							55
1007092							60
1007106							65
1007114							70
1007122							80
3646023							90
3646024							100
1007351	M5	8,5	22	5	4	2,5	30
1007378							35

M18; M22; M27: not included in ISO 4762

Article#	d ₁	d ₂	b	k	s	t min.	L
1007386	M5	8,5	22	5	4	2,5	40
1007394							45
1007408							50
1007416							55
1007424							60
1007432							65
1007440							70
1007459							(75)
1007467							80
1007475							(85)
1007483							90
1007491							100
3091494							110
3091496							120
3091497							130
3091498							140
3091499							160
1007769	M6	10	24	6	5	3	35
1007777							40
1007785							45
1007793							50
1007807							55
1007815							60
1007823							65
1007831							70
1007858							(75)
1007866							80
3091500							(85)
1007874							90
1007882							100
1007890							110
1007904							120
1751816							130
1751832							140
1751875							150
3091505							160
3091507							200
3091508							220
1008153	M8	13	28	8	6	4	40
1008161							45
1008188							50

M18; M22; M27: not included in ISO 4762

Article#	d ₁	d ₂	b	k	s	t min.	L
1008196	M8	13	28	8	6	4	55
1008218							60
1008226							65
1008234							70
1008242							(75)
1008250							80
3091509							85
1008269							90
1008277							100
1008285							110
1008293							120
1008307							130
1008315							140
1008323							150
1008331							160
1008358							180
1008366							200
1751883							220
1751891							240
1751913							260
1751948							280
1751956							300
1008633	M10	16	32	10	8	5	45
1008641							50
1008668							55
1008676							60
1008684							65
1008692							70
1008706							(75)
1008714							80
1008722							(85)
1008730							90
1008749							100
1008757							110
1008765							120
1008773							130
1008781							140
1008803							150
1008811							160
1008838							180
1008846							200

M18; M22; M27: not included in ISO 4762

Article#	d ₁	d ₂	b	k	s	t min.	L
1751964	M10	16	32	10	8	5	220
1751972							240
1751980							260
1751999							280
1752006							300
1009095	M12	18	36	12	10	6	55
1009109							60
1009117							65
1009125							70
1009133							(75)
1009141							80
3091512							(85)
1009168							90
3091513							(95)
1009176							100
1009184							110
1009192							120
1009206							130
1009214							140
1009222							150
1009230							160
1009249							180
1009257							200
1752537							220
1752545							240
1752790							260
1752804							280
1755714							300
1009478	(M14)	21	40	14	12	7	60
1009486							65
1009494							70
1009508							(75)
1009516							80
1009524							90
1009532							100
1009540							110
1009559							120
1009567							130
1009575							140
1009583							150
1009591							160

M18; M22; M27: not included in ISO 4762

Article#	d ₁	d ₂	b	k	s	t min.	L
1009605	(M14)	21	40	14	12	7	180
1009613							200
8089841	M16	24	44	16	14	8	55
1009869							65
1009877							70
1009885							(75)
1009893							80
3091516							(85)
1009907							90
1009915							100
1009923							110
1009931							120
1009958							130
1009966							140
1009974							150
1009982							160
8277346							170
1009990							180
8277184							190
1010018							200
1137077							220
1137085							240
8232954							250
1137093							260
8262438							280
1137107							300
1010158	(M18)	27	48	18	14	9	70
1010174							80
1010182							90
1010190							100
1010204							110
1010212							120
1010220							130
1010239							140
1137115							160
8270813							170
1010255							180
8040001	M20	30	52	20	17	10	(75)
1010417							80
3091517							(85)
1010425							90

M18; M22; M27: not included in ISO 4762

Article#	d ₁	d ₂	b	k	s	t min.	L
1010433	M20	30	52	20	17	10	100
1010441							110
1010468							120
1010476							130
1010484							140
1010492							150
1010506							160
1010514							180
1010522							200
1137123							220
1137131							240
1137158							260
3091519							280
1137166							300
3091520							340
1010662	(M22)	33	56	22	17	11	80
1010670							90
1010689							100
1010697							110
1010700							120
1010859	M24	36	60	24	19	12	90
1010867							100
1010875							110
1010883							120
1010891							130
1010905							140
1010913							150
1010921							160
1010948							180
3091523							190
1010956							200
1137174							220
3091524							230
1137182							240
8170312							250
1137190							260
3091525							280
1137204							300
3092823							340
1010999	(M27)	40	66	27	19	13,5	100
1011006							120

M18; M22; M27: not included in ISO 4762

Article#	d ₁	d ₂	b	k	s	t min.	L
1011014	(M27)	40	66	27	19	13,5	140
1011030							160
1011049							180
1011057							200
1011065							240
1011073							260
1011170	M30	45	72	30	22	15,5	120
8198055							130
1011189							140
3091529							150
1011200							160
1011219							180
1011227							200
1011235							220
1011243							240
3091532							250
1011251							260
1011278							300
1011286							400
3091539	M36	54	84	36	27	19	110
1011472							120
3091540							130
1011480							140
3091541							150
1011502							160
1011510							180
1011529							200
1011545							240
1011553							260
1011561							300
1011642	M42	63	96	42	32	24	140
1011650							160
3091547							180
1011677							200
1011693							240
1011707							260
1011715							300