


	DIN 931	ISO 4014		10.9
---	----------------	-----------------	--	-------------

Standard withdrawn

**BN 72****Hex head bolts**

partially threaded

Steel 10.9

black

- ~UNI 5737
- ~CSN 021101

M10; M12; M14; M22: wrench size according to ISO on request

Article#	d ₁	e	k	s	b	L
1061933	M6	11,05	4	10	18	30
1061941						35
1061968						40
1061976						45
1061984						50
1062018						60
1062107	M8	14,38	5,3	13	22	35
1062115						40
1062123						45
1062131						50
1062158						55
1062166						60
1062174						65
1062182						70
1062190						(75)
1062204						80
8196516						90
3092111						100
1062263	M10	18,9	6,4	17	26	40
1062271						45
1062298						50
1062301						55
1062328						60
1062336						65
1062344						70
1062352						(75)

M10; M12; M14; M22: wrench size according to ISO on request

Article#	d ₁	e	k	s	b	L
1062360	M10	18,9	6,4	17	26	80
1062379						90
1062387						100
4001216						110
4002774						120
4002776					32	160
1062441	M12	21,1	7,5	19	30	45
1062468						50
1062476						55
1062484						60
1062492						65
1062506						70
1062514						(75)
1062522						80
1062530						90
1062549						100
1062557						110
1062565						120
5504336					36	130
8224471	(M14)	24,49	8,8	22	34	45
1062646						50
1062654						55
1062662						60
1062670						70
1062689						80
1062697						90
1062700						100
1062719						110
3169512	M16	26,75	10	24	38	50
1062778						55
1062786						60
4002780						65
1062808						70
1062816						(75)
1062824						80
1062832						90
1062840						100
1062859						110
1062867						120
5510997					44	130
5504389						150

M10; M12; M14; M22: wrench size according to ISO on request

Article#	d ₁	e	k	s	b	L
3092116	M16	26,75	10	24	44	160
3092117						180
3092118						200
3092519					57	220
8035687	(M18)	30,14	11,5	27	42	60
3092122						65
8148260						70
3092124						90
5514804						100
3092125						110
3092126						120
3092127					48	130
3092129						160
1414941	M20	33,53	12,5	30	46	70
1414968						80
1414976						90
1414984						100
3093158						110
1414992						120
5504374					52	130
3092135						150
3092136						160
3092138						180
3092139						200
3092140					65	220
3092143	(M22)	35,72	14	32	50	70
5518613						80
3092145						100
3092146						110
3092148					56	130
3092149						150
3092154	M24	39,98	15	36	54	75
1415050						80
4002783						90
1415069						100
5504376						110
1415077						120
5511249					60	140
5504391						160
3092156						180
3092159					73	240

M10; M12; M14; M22: wrench size according to ISO on request

Article#	d ₁	e	k	s	b	L
3092160	M24	39,98	15	36	73	250
3092163						300
3092168	(M27)	45,2	17	41	60	90
3092169						100
3092171						120
3092173					66	160
3092177	M30	50,85	18,7	46	66	110
3092179					72	130
3217085						140
3092182						160
3092184						180
3092185						190
3092186						200
8224447	M36	60,79	22,5	55	78	120
3092189					84	160
3092191						200
3092192					97	220